Wetlands and shallow continental water bodies 158

Announcement 161

VOL. 52 NO. 3 DECEMBER 1995

Isopod miners in the leaves of two Western Australian *Posidonia* species
A. Brearley and D.I. Walker (Nedlands, W.A., Australia) 163
Ecological implications of tolerance of salinity and inundation by *Spartina maritima*
J.B. Adams and G.C. Bate (Port Elizabeth, South Africa) 183
Carposporangial development in the red alga *Scinaia pseudocrispa* (*S. forcellata*) from India
B. Bhatia and M.R. Vijayaraghavan (Delhi, India) 193
Plastic responses in morphology of *Potamogeton pectinatus* L. to sediment and above-sediment conditions at two sites in the northern Baltic proper
J. Idestam-Almquist and L. Kautsky (Stockholm, Sweden) 205

Technical communications
Methods for removing epiphytes from seagrasses: SEM observations on treated leaves
P. Dauby and M. Poulicek (Liège, Belgium) 217
Element losses following distilled water rinsing of leaves of the seagrass *Posidonia oceanica* (L.) Delile
G. Ledent (Bruxelles, Belgium), M.A. Mateo (Barcelona, Spain), M. Warnau, A. Temara (Bruxelles, Belgium), J. Romero (Barcelona, Spain) and Ph. Dubois (Bruxelles, Belgium) 229

Short communication
Water soluble phenolic compounds of the marine phanerogam *Posidonia oceanica* in a Mediterranean area colonised by the introduced chlorophyte *Caulerpa taxifolia*
P. Cuny (Marseille, France), L. Serve, H. Jupin (Perpignan, France) and C.-F. Boudouresque (Marseille, France) 237

VOL. 52 NO. 4 FEBRUARY 1996

Responses of epiphytes on eelgrass, *Zostera marina* L., to separate and combined nitrogen and phosphorus enrichment
H.-J. Lin, S.W. Nixon, D.I. Taylor, S.L. Granger and B.A. Buckley (Narragansett, RI, USA) 243
Seasonal variation in the intertidal seagrass *Zostera noltii* Hornem.: coupling demographic and physiological patterns
J.E. Vermaat and F.C.A. Verhagen (Delft, Netherlands) 259
Spatial and temporal variation of benthic marine algae at the Cabo Frio upwelling region, Rio de Janeiro, Brazil
M.A. Guimaraens (Miami, FL, USA) and R. Coutinho (Arraial do Cabo-RJ, Brazil) 283
Stability of antheridial morphology in freshwater North American *Vaucheria compacta* var. *dulcis* J. Simons (Tribophyceae, Chrysophyta) grown under different salinities
C.W. Schneider, M.K. Riley and B.M. Stockton (Hartford, CT, USA) 301

Short communication
Sexual reproduction of *Zostera noltii* Hornemann in the lagoon of Venice (Italy, north Adriatic)
D. Curiel, A. Bellato, A. Rismondo and M. Marzocchi (Padova, Italy) 313

Book reviews
Desmids of New Zealand 319
Fresh waters of Scotland 320
Mangroves 321

Acknowledgement to referees 323

Announcement 325